



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**62965 - Xanthine Oxidase ex. Microorganism, 15U/mg -  
[9002-17-9]**

**Batch No**

**3375729**

**Analysis Date**

16-Mar-2024

**Date of Manufacture**

March 2024

**Expiry Date/Re-Test Date**

March 2029

Test Parameters	Standards	Actual Results
Appearance (Colour)	Reddish brown	Reddish brown
Appearance (Form)	Lyophilised powder	Lyophilised powder
Activity	min. 15 units/mg powder	18.9 units/mg powder
Unit Definition	One unit will convert 1.0 micromole of xanthine to uric acid per minute at pH 7.5 at 25°C.	Conforms
Enzyme solution for activity determination	Prepared in 50 mM potassium phosphate buffer, pH 7.5.	Conforms

FRM/82/11/4/62965 Rev No. 3 Date 17/09/2022

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)