



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	95382 - Cellulase ex. Aspergillus Niger (Meicellase), 13000CMC U/g - [9012-54-8]
Batch No	3392195
Analysis Date	14-Sep-2022
Date of Manufacture	September 2022
Expiry Date/Re-Test Date	September 2027

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to Off-white to Pale brown	Off-white
Appearance (Form)	Powder	Powder
Activity	min. 13000 CMC units/gm powder	14,000 CMC units/gm powder
Unit Definition	One unit will liberate 1.0 micromole of glucose from carboxy methyl cellulose in 1 hour at pH 4.8 at 50 °C.	Conforms
Enzyme solution for activity determination	Prepared in 0.2 M sodium acetate buffer, pH 4.8.	Conforms

FRM/82/11/4/95382 Rev No. 5 Date 14/09/2022

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015 Certified Company](#)