



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	28849 - n-Propylamine pure, 99% - [107-10-8]
Batch No	3412596
Analysis Date	02-Aug-2023
Date of Manufacture	August 2023
Expiry Date/Re-Test Date	August 2028
Molecular Formula	C3H9N
Molecular Weight	59.11

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.93%
Density (g/ml) @ 20°C	0.717-0.720	0.717
Refractive Index (20°C)	1.377-1.378	1.377
Boiling Range	47-48°C	47-48°C
Water (KF)	max. 0.1%	0.1%

FRM/82/11/2/28849 Rev No. 1 Date 01/11/2015

Prepared by **DRathod**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.