



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**86596 - Methotrexate Hydrate (MTR), 98% -  
[133073-73-1]**

**Batch No**

**3506702**

**Analysis Date**

28-Sep-2019

**Date of Manufacture**

September 2019

**Expiry Date/Re-Test Date**

September 2024

**Molecular Formula**

C<sub>20</sub>H<sub>22</sub>N<sub>8</sub>O<sub>5</sub>·xH<sub>2</sub>O

**Molecular Weight**

472.44 (anhy)

Test Parameters	Standards	Actual Results
Appearance (Colour)	Yellow	Yellow
Appearance (Form)	Powder	Powder
Assay	min. 98%	99.10%
Melting Point	190 - 192°C	191°C
Not for medicinal use		

FRM/82/11/4/86596 Rev No. 1 Date 01/11/2015

Prepared by Sagar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.