



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

# Certificate of Analysis

**Product**

**73439 - Stearic Acid ExiPlus, Multi-Compndial,  
C18-99% - [57-11-4]**

**Batch No**

**3528889**

**Analysis Date**

15-Apr-2024

**Date of Manufacture**

April 2024

**Expiry Date/Re-Test Date**

April 2029

**Molecular Formula**

C18H36O2

**Molecular Weight**

284.49

**Test Parameters**

**Standards**

**Actual Results**

ExiPlus

meets compndial specs of Ph.Eur

Passes

Appearance (Colour)

White

White

Appearance (Form)

Crystalline powder

Crystalline powder

Assay (GC-C18)

min. 99%

99.8%

Melting Point

68 - 70°C

70°C

Sulphated Ash

max. 0.05%

0.01%

Heavy Metals (Pb)

max. 0.001%

Passes

FRM/82/11/4/73439 Rev No. 2 Date 21/06/2022

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.