



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	35888 - EDTA Disodium Salt 0.5M Solution - [6381-92-6]
Batch No	3647954
Analysis Date	16-Apr-2024
Date of Manufacture	April 2024
Expiry Date/Re-Test Date	April 2027
Molecular Formula	C ₁₀ H ₁₄ N ₂ O ₈ Na ₂ ·2H ₂ O
Molecular Weight	372.24

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Molarity	0.5000 ± 0.0500 M	0.4992 M
pH	7.5 - 8.5	8.26

FRM/82/11/4/35888 Rev No. 3 Date 21/05/2023

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.