



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**99571 - Murexide extrapure AR, ACS, ExiPlus,
Multi-Compendial (Ammonium Purpurate), 98% -
[3051-09-0]**

Batch No

3650717

Analysis Date

18-Feb-2024

Date of Manufacture

February 2024

Expiry Date/Re-Test Date

February 2029

Molecular Formula

C₈H₈N₆O₆

Molecular Weight

284.19

Test Parameters

Standards

Actual Results

ExiPlus

meets compendial specs of Ph.Eur

Passes

Appearance (Colour)

Dark Red to Purple

Dark Red

Appearance (Form)

Powder

Powder

Assay (UV)

min.98%

99.7%

Loss on drying

max. 5.0 %

0.2%

Suitability as indicator

Passes test

Passes

FRM/82/11/4/99571 Rev No. 2 Date 10/02/2022

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.