



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	27194 - Gold AAS Standard Solution in 0.5N HCl
Batch No	3697622
Analysis Date	12-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2026

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Yellow	Yellow
Appearance (Form)	Liquid	Liquid
Concentration (Au)	1000 ± 50 mg/Ltr	1008.5 mg/Ltr
Traceability		Which is traceable to Merck product no. 1.70216.0100 lot no. HC14718116, Which traceable to NIST SRM 3121, lot 991806

FRM/82/11/4/27194 Rev No. 1 Date 25/06/2022

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.