



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product

**83822 - Vanadium Pentoxide extrapure AR, ExiPlus,
Multi-Compendial, 99.5% - [1314-62-1]**

Batch No

3714823

Analysis Date

07-Mar-2024

Date of Manufacture

March 2024

Expiry Date/Re-Test Date

March 2029

Molecular Formula

V₂O₅

Molecular Weight

181.88

Test Parameters

Standards

Actual Results

ExiPlus

meets compendial specs of USP

Passes

Appearance (Colour)

Pale yellow to brown

Brown

Appearance (Form)

Fine powder

Fine powder

Assay (Iodometric)

min. 99.5%

99.6%

Loss on ignition

max. 0.5%

0.3%

FRM/82/11/4/83822 Rev No. 3 Date 10/04/2023

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.