



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>98001 - 2-Chlorobenzylamine pure, 98% - [89-97-4]</b>
<b>Batch No</b>	<b>3756845</b>
<b>Analysis Date</b>	04-Dec-2023
<b>Date of Manufacture</b>	December 2023
<b>Expiry Date/Re-Test Date</b>	December 2028
<b>Molecular Formula</b>	C7H8ClN
<b>Molecular Weight</b>	141.60

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow	Pale yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.72%
Density (g/ml) @ 20°C	1.168 - 1.172	1.168
Refractive Index (20°C)	1.559 - 1.561	1.561

FRM/82/11/2/98001 Rev No. 1 Date 01/11/2015

Prepared by **Sujit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.