



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	60451 - Methyl Cyclohexane extrapure, 99% - [108-87-2]
Batch No	3838714
Analysis Date	06-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C6H11CH3
Molecular Weight	98.19

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.66%
Density (g/ml) @ 20°C	0.767 - 0.770	0.767
Refractive Index (20°C)	1.422 - 1.423	1.423
Boiling Range	99 - 101°C	99 - 101°C
Acidity (CH3COOH)	max. 0.001%	0.0006%
Water (KF)	max. 0.1%	0.01%

FRM/82/11/2/60451 Rev No. 2 Date 28/05/2024

Prepared by Rganesh

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.