



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>23843 - Chlorocholine Chloride (CCC) extrapure, 98% - [999-81-5]</b>
<b>Batch No</b>	<b>3871174</b>
<b>Analysis Date</b>	15-Oct-2023
<b>Date of Manufacture</b>	October 2023
<b>Expiry Date/Re-Test Date</b>	October 2028
<b>Molecular Formula</b>	C5H13Cl2N
<b>Molecular Weight</b>	158.07

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless to pale yellow	Colourless
Assay (ex Cl)	min. 98%	99.4%

FRM/82/11/4/23843 Rev No. 2 Date 18/05/2023

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.