



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	49772 - PreStained High Range 3 Tri-Coloured Protein Marker: 10-315kDa
Batch No	3901219
Analysis Date	12-May-2022
Date of Manufacture	May 2022
Expiry Date/Re-Test Date	May 2023

Test Parameters	Standards	Actual Results
Appearance (Form)	Liquid	Liquid
Appearance (Colour)	Dark Blue	Dark Blue
Appearance (Clarity)	Clear	Clear
Electrophoresis test	Ladder shows 12 prestained protein bands during SDS PAG electrophoresis	Conforms
Storage	-20°C	Maintained

FRM/82/11/5/49772 Rev No. 1 Date 30/11/2020

Prepared by **Soumya**

In compliance with the standard specifications of SRL

Plant Site 3 : No. 21, Thomas Nagar, Little Mount, Chennai - 600 015, India.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.