



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	36678 - Orthophosphoric Acid extrapure, 85% - [7664-38-2]
Batch No	3916087
Analysis Date	13-Jul-2024
Date of Manufacture	July 2024
Expiry Date/Re-Test Date	July 2029
Molecular Formula	H3PO4
Molecular Weight	98.00

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Density (g/ml) @ 20°C	1.70	1.70
Assay (T)	min. 85%	87.91%
Chloride (Cl)	max. 0.002%	Passes
Sulphate (SO4)	max. 0.01%	Passes
Iron (Fe)	max. 0.001%	Passes
Heavy Metals (Pb)	max. 0.002%	Passes

FRM/82/11/2/36678 Rev No. 1 Date 01/11/2015

Prepared by **Udit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.