



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 72439 - Algae Culture Broth
Batch No 4049671
Analysis Date 15-Apr-2024
Date of Manufacture April 2024
Expiry Date/Re-Test Date April 2027

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off white	Complies
Appearance (Form)	Free flowing, homogeneous powder	Complies
Solubility	1.87 gm/liter	Complies
Solubility before autoclaving (Clarity)	Clear to slightly opalescent	Complies
pH (25°C)	7.0 ± 0.2	7.18 Complies
Prepared Medium Appearance after autoclaving (Clarity)	Clear to slightly opalescent	Complies
Prepared Medium Appearance after autoclaving (Colour)	White	Complies
Cultural Response	Inoculate and incubate at 20-25°C for one week under suitable light source.	
Organism	Chlorella pyrenoidosa ATCC 50476	
Inoculum (cfu) 10-100	Growth : Good	Complies

FRM/82/11/3/72439 Rev No. 1 Date 08/01/2023

Prepared by Shikha

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.