



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	73056 - Allyl Bromide pure, 98% - [106-95-6]
Batch No	4234248
Analysis Date	20-Oct-2022
Date of Manufacture	October 2022
Expiry Date/Re-Test Date	October 2027
Molecular Formula	C3H5Br
Molecular Weight	120.98

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.66%
Density (g/ml) @ 20°C	1.427 - 1.430	1.427
Refractive Index (20°C)	1.468 - 1.469	1.468
Boiling Range	69 - 71°C	69 - 71°C
Stabilizer (Ag wire)	Present	Present

FRM/82/11/2/73056 Rev No. 1 Date 01/11/2015

Prepared by Nilam Halgekar

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)