



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product 42810 - Benzophenone ExiPlus, Multi-Compendial, 99%
- [119-61-9]
Batch No 4244577
Analysis Date 21-Jan-2024
Date of Manufacture January 2024
Expiry Date/Re-Test Date January 2029
Molecular Formula C₁₃H₁₀O
Molecular Weight 182.22

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder / Flakes	Crystalline Flakes
Solubility (Turbidity) 10% solution in methanol	Clear	Clear
Solubility (Colour) 10% solution in methanol	Colourless	Colourless
Assay (GC)	min. 99.0%	99.9%
Melting Point	47 - 50°C	48.8°C
Sulphated Ash	max. 0.05%	0.03%
Chloride (Cl)	max. 0.02%	Passes
Acidity	max 1.0ml N%	0.1ml N%

FRM/82/11/4/42810 Rev No. 3 Date 21/01/2024

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.