



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	92370 - Blasticidin S Hydrochloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg - [3513-03-9]
Batch No	4327172
Analysis Date	18-Mar-2024
Date of Manufacture	March 2024
Expiry Date/Re-Test Date	March 2029
Molecular Formula	C17H26N8O5.HCl
Molecular Weight	458.90

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off white	Off-white
Appearance (Form)	Powder	Powder
Assay	min. 98%	98.81%
Suitability for Cell Culture	Passes	Passes
Bacterial Endotoxin Test (BET) (EU/mg = IU/mg)	<0.05 EU/mg	Passes
Not for medicinal use	.	.

FRM/82/11/4/92370 Rev No. 3 Date 27/03/2022

Prepared by Dhanashree

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.