



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	89119 - Anisaldehyde extrapure, 99% - [123-11-5]
Batch No	4351552
Analysis Date	15-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C ₈ H ₈ O ₂
Molecular Weight	136.15

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Pale yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.88%
Density (g/ml) @ 20°C	1.120-1.127	1.125
Refractive Index (20°C)	1.571-1.574	1.572
Acidity (C ₈ H ₈ O ₃)	max. 0.5%	0.5%

FRM/82/11/2/89119 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)