



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	79617 - Thymol Blue ACS, ExiPlus, Multi-Compendial - [76-61-9]
Batch No	4380161
Analysis Date	10-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	C27H30O5S
Molecular Weight	466.60

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of BP, Ph.Eur	Passes
Appearance (Colour)	Brownish green	Brownish green
Appearance (Form)	Powder	Powder
Loss on drying	max 3%	1.8%
Absorbance (A) of 1% solution (pH 9.5) in a 1cm cell v/s buffer		
@595nm	450 - 550	527
Suitability as indicator	Passes test	Passes

FRM/82/11/4/79617 Rev No. 1 Date 03/04/2018

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.