



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	61808 - Pyridine extrapure, 99% - [110-86-1]
Batch No	4382807
Analysis Date	06-Apr-2024
Date of Manufacture	April 2024
Expiry Date/Re-Test Date	April 2029
Molecular Formula	C5H5N
Molecular Weight	79.10

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.98%
Density (g/ml) @ 20°C	0.980-0.983	0.980
Refractive Index (20°C)	1.508-1.510	1.508
Boiling Range	114-116°C	114-116°C
Non Volatile Matter	max. 0.01%	0.0003%
Water (KF)	max. 0.2%	0.02%

FRM/82/11/2/61808 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)