



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**88440 - MWCNT Type 2 Carbon Nanotubes Multi
Walled, Length 10-30µm, OD 8-15nm, 95% -
[308068-56-6]**

Batch No

4407111

Analysis Date

04-Apr-2024

Date of Manufacture

April 2024

Expiry Date/Re-Test Date

April 2029

Test Parameters

Standards

Actual Results

Appearance (Colour)

Black

Black

Appearance (Form)

Powder

Powder

Assay

min. 95%

95%

OD

8 - 15 nm

8 - 15 nm

Length

10 - 30µm

10 - 30µm

FRM/82/11/4/88440 Rev No. 1 Date 11/27/2017

Prepared by **Komal**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.