



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	87655 - Methanol GC-HS, 99.9% - [67-56-1]
Batch No	4487485
Analysis Date	08-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	CH ₄ O
Molecular Weight	32.04

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.9%	99.96%
Density (g/ml) @ 20°C	0.790-0.792	0.790
Refractive Index (20°C)	1.328-1.329	1.328
Boiling Range	64-65°C	64-65°C
Non Volatile Matter	max. 0.0001%	0.0001%
Acidity (CH ₃ COOH)	max. 0.002%	0.0006%
Substances reducing Permanganate (O)	max. 0.00025%	Passes
Water (KF)	max. 0.05%	0.05%

FRM/82/11/2/87655 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)