



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	93239 - Calcium Phosphate Dibasic Anhydrous extrapure, 98% - [7757-93-9]
Batch No	4518673
Analysis Date	28-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	CaHPO ₄
Molecular Weight	136.06

Test Parameters	Standards	Actual Results
Appearance (Colour)	White amorphous	White amorphous
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 5% solution in hot 5N HCl	Clear	Clear
Assay (Complexometric)	min.98%	98.6%
Chloride (Cl)	max.0.25%	Passes
Sulphate (SO ₄)	max.0.5%	Passes
Iron (Fe)	max.0.04%	Passes

FRM/82/11/4/93239 Rev No. 1 Date 27/05/2024

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)