



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**41035 - Benzenesulphonyl Chloride ExiPlus,
Multi-Compendial, 98% - [98-09-9]**

Batch No

4544774

Analysis Date

19-Dec-2022

Date of Manufacture

December 2022

Expiry Date/Re-Test Date

December 2027

Molecular Formula

C6H5SO2Cl

Molecular Weight

176.62

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP	Complies
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	liquid	liquid
Assay (AT)	min. 98%	98.10%
Density (g/ml) @ 20°C	1.377-1.379	1.377
Refractive Index (20°C)	1.550-1.552	1.550
Melting Point	14-17°C	16°C

FRM/82/11/2/41035 Rev No. 2 Date 20/12/2022

Prepared by Nilam Halgekar

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)