



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	31240 - (+/-)-Abscisic Acid Synthetic (ABA) for tissue culture, 98% - [14375-45-2]
Batch No	4547340
Analysis Date	12-Jun-2024
Date of Manufacture	June 2024
Expiry Date/Re-Test Date	June 2029
Molecular Formula	C15H20O4
Molecular Weight	264.32

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	Pale yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 5% solution in Methanol	Clear	Clear
Assay (UV)	min.98%	98.8%
Melting Point	161 - 162°C	162°C
Absorbance (A) of 1% solution in Ethanol in a 1cm cell		
@260nm	~805	795.5
Suitability for Tissue Culture	Passes test	Passes

FRM/82/11/4/31240 Rev No. 1 Date 07/28/2018

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.