



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**33712 - Polysorbate 20 (Tween 20) for tissue culture -
[9005-64-5]**

Batch No

4625883

Analysis Date

06-Mar-2024

Date of Manufacture

March 2024

Expiry Date/Re-Test Date

March 2029

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow	Pale yellow
Appearance (Form)	Viscous liquid	Viscous liquid
Density (g/ml) @ 20°C	1.105 - 1.107 g/ml	1.105 g/ml
Refractive Index (20°C)	1.470 - 1.472	1.472
Water (KF)	max. 2%	1.9%
Acid value	max. 2.0	0.44
Hydroxyl value	96 - 108	101.8
Saponification value	40 - 50	49.7
IR Identification Test	Passes	Passes
Suitability for Tissue Culture	Passes	Passes

FRM/82/11/4/33712 Rev No. 1 Date 09/10/2018

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.