



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	70976 - N,N-Dimethyl Glycine Hydrochloride pure, 98% - [2491-06-7]
Batch No	4636466
Analysis Date	28-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	(CH ₃) ₂ NCH ₂ COOH.HCl
Molecular Weight	139.58

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Powder	Powder
Assay (AT)	min. 98%	98.2%
Melting Point	189 - 192°C	191.3°C
Water (KF)	max. 1.0%	0.8%

FRM/82/11/4/70976 Rev No. 2 Date 29/01/2024

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.