



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	28437 - 1,1,1,3,3,3-Hexamethyldisilazane pure (HMDS), 98% - [999-97-3]
Batch No	4666213
Analysis Date	03-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	C ₆ H ₁₉ NSi ₂
Molecular Weight	161.40

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.55%
Density (g/ml) @ 20°C	0.773 - 0.775	0.773
Refractive Index (20°C)	1.407 - 1.409	1.407
Boiling Range	123 - 126°C	123 - 126°C

FRM/82/11/2/28437 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.