



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	84569 - Ammonium Persulphate (APS) extrapure AR, 99% - [7727-54-0]
Batch No	4730851
Analysis Date	24-Feb-2024
Date of Manufacture	February 2024
Expiry Date/Re-Test Date	February 2029
Molecular Formula	N2H8S2O8
Molecular Weight	228.20

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (Iodometric)	min. 99%	99.3%
Sulphated Ash	max. 0.05%	0.02%
Acidity (H2SO4)	max. 0.2%	0.1%
Chloride (Cl)	max. 0.0005%	Passes
Iron (Fe)	max. 0.005%	Passes
Heavy Metals (Pb)	max. 0.005%	Passes
Manganese (Mn)	max. 0.00005%	Passes
Potassium (K)	max. 0.02%	Passes
Sodium (Na)	max. 0.005%	Passes

FRM/82/11/4/84569 Rev No. 2 Date 04/07/2022

Prepared by **Mayur**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.