



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**66492 - Ferric Chloride Anhydrous ExiPlus,
Multi-Compendial, 98% - [7705-08-0]**

Batch No

4751927

Analysis Date

07-Mar-2024

Date of Manufacture

March 2024

Expiry Date/Re-Test Date

March 2029

Molecular Formula

FeCl₃

Molecular Weight

162.21

Test Parameters	Standards	Actual Results
ExiPlus	Meets compendial specs of BP	Passes
Appearance (Colour)	Dark brown to dark green to black	Dark green
Appearance (Form)	Hygroscopic powder	Hygroscopic powder
Solubility (Turbidity) 1% soln in 5N HCl	Clear to slightly Hazy	Slightly hazy
Assay (Iodometric)	min. 98%	98.1%

FRM/82/11/4/66492 Rev No. 1 Date 13/02/2024

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.