



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>56825 - Dichloromethane (DCM) pure, 99% - [75-09-2]</b>
<b>Batch No</b>	<b>4789553</b>
<b>Analysis Date</b>	05-Jun-2024
<b>Date of Manufacture</b>	June 2024
<b>Expiry Date/Re-Test Date</b>	June 2029
<b>Molecular Formula</b>	CH <sub>2</sub> Cl <sub>2</sub>
<b>Molecular Weight</b>	84.93

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.93%
Density (g/ml) @ 20°C	1.323-1.325	1.323
Refractive Index (20°C)	1.424-1.425	1.425
Boiling Range	38-40°C	38-40°C
Water (KF)	max. 0.1%	0.02%

FRM/82/11/2/56825 Rev No. 1 Date 01/11/2015

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.