



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	92063 - Cefaclor (CFC), 95% - [53994-73-3]
Batch No	4828358
Analysis Date	10-May-2018
Date of Manufacture	May 2018
Expiry Date/Re-Test Date	May 2023
Molecular Formula	C ₁₅ H ₁₄ CIN ₃ O ₄ S
Molecular Weight	367.8

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to Pale yellow	White
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 1% soln in 1N HCl	Clear	Clear
pH (2.5% aq. solution)	3.0 - 4.5	4.1
Assay	min. 95%	99.8%
Not for medicinal use		

FRM/82/11/4/92063 Rev No. 1 Date 05/12/2018

Prepared by **Sneha**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2008 Certified Company](#)

This COA has been generated electronically and it is valid without signature.