



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	60168 - Benzyltrimethylammonium Chloride ExiPlus™, 98% - [56-39-9]
Batch No	4862965
Analysis Date	08-Feb-2017
Date of Manufacture	February 2017
Expiry Date/Re-Test Date	February 2022
Molecular Formula	C10H16ClN
Molecular Weight	185.70

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of USP, BP, Ph.Eur	Passes
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay	min. 98%	98.5%
Melting Point	230 - 235°C	230°C

FRM/82/11/4/60168 Rev No. 1 Date 01/11/2015

Prepared by Dhairyashil

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

an ISO 9001-2008 Certified Company

This COA has been generated electronically and it is valid without signature.