



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	95091 - Valeroyl Chloride pure, 98% - [638-29-9]
Batch No	4870366
Analysis Date	28-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	C5H9ClO
Molecular Weight	120.60

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless fuming	Colourless Fuming
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.80%
Density (g/ml) @ 20°C	0.994-0.995	0.994
Refractive Index (20°C)	1.419-1.420	1.419
Boiling Range	126-129°C	126-129°C

FRM/82/11/2/95091 Rev No. 1 Date 01/11/2015

Prepared by Ashish

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)