



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>25834 - BioLit SafeDye Stain</b>
<b>Batch No</b>	<b>4874792</b>
<b>Analysis Date</b>	14-Nov-2023
<b>Date of Manufacture</b>	November 2023
<b>Expiry Date/Re-Test Date</b>	November 2025

Test Parameters	Standards	Actual Results
Appearance (Form)	Liquid	Liquid
Appearance (Colour)	Orange	Orange
Contamination	Tested for presence of Nucleases	No contamination
Stability	Tested in agarose gel electrophoresis with various QC determined concentrations of dsDNS, ssDNA and RNA using experimental conditions/setup.	Conforms
Storage	Store at 0°- 4°C	Maintained

FRM/82/11/5/25834 Rev No. 1 Date 09/20/2018

Prepared by KalaiSelvi

In compliance with the standard specifications of SRL

Plant Site 3 : No. 21, Thomas Nagar, Little Mount, Chennai - 600 015, India.

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.