



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	26414 - DICAMBA extrapure, 95% - [1918-00-9]
Batch No	4894468
Analysis Date	03-Sep-2023
Date of Manufacture	September 2023
Expiry Date/Re-Test Date	September 2028
Molecular Formula	C ₈ H ₆ Cl ₂ O ₃
Molecular Weight	221.04

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off - white	Off - white
Appearance (Form)	Crystalline powder	Crystalline powder
Assay (NT)	min. 95%	97.5%
Melting Point	114 - 116°C	115.7°C

FRM/82/11/4/26414 Rev No. 4 Date 04/09/2023

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.