



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>63390 - Yttrium (III) Chloride Hexahydrate extrapure AR, 99.9% - [10025-94-2]</b>
<b>Batch No</b>	<b>4905471</b>
<b>Analysis Date</b>	04-May-2021
<b>Date of Manufacture</b>	May 2021
<b>Expiry Date/Re-Test Date</b>	May 2026
<b>Molecular Formula</b>	YCl <sub>3</sub> .6H <sub>2</sub> O
<b>Molecular Weight</b>	303.36

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline compound	Crystalline compound
Assay (EDTA Titration)	min. 99.9%	99.9%

FRM/82/11/4/63390 Rev No. 2 Date 06/04/2021

Prepared by **Dnyaneshwar**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.