



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	66951 - Acetone extrapure, 99% - [67-64-1]
Batch No	4940995
Analysis Date	02-May-2024
Date of Manufacture	May 2024
Expiry Date/Re-Test Date	May 2029
Molecular Formula	C ₃ H ₆ O
Molecular Weight	58.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.92%
Density (g/ml) @ 20°C	0.789 - 0.792	0.789
Refractive Index (20°C)	1.358 - 1.360	1.358
Boiling Range	55 - 56°C	55 - 56°C
Non Volatile Matter	max. 0.005%	0.0003%
Acidity (CH ₃ COOH)	max. 0.002%	0.0006%
Water (KF)	max. 0.5%	0.2%

FRM/82/11/2/66951 Rev No. 1 Date 01/11/2015

Prepared by **Sujit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)