



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	51879 - 5-Bromo-5-Nitro-1,3-Dioxane extrapure, 99% - [30007-47-7]
Batch No	4975419
Analysis Date	30-Mar-2022
Date of Manufacture	March 2022
Expiry Date/Re-Test Date	March 2027
Molecular Formula	C ₄ H ₆ BrNO ₄
Molecular Weight	212.0

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Assay	min. 99%	99.9%
Melting Point	58 - 62°C	58°C

FRM/82/11/4/51879 Rev No. 2 Date 24/11/2019

Prepared by **Mayur**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.