



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>34103 - DPPP (1,3-Bis(Diphenylphosphino)Propane) extrapure, 98% - [6737-42-4]</b>
<b>Batch No</b>	<b>5034375</b>
<b>Analysis Date</b>	18-Oct-2023
<b>Date of Manufacture</b>	October 2023
<b>Expiry Date/Re-Test Date</b>	October 2028
<b>Molecular Formula</b>	C <sub>27</sub> H <sub>26</sub> P <sub>2</sub>
<b>Molecular Weight</b>	412.44

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to off-white	White
Appearance (Form)	Solid	Solid
Assay	min. 98%	99.6%
Melting Point	61 - 64 °C	62°C

FRM/82/11/4/34103 Rev No. 1 Date 07/20/2019

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.