



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product**

**36474 - Reactive Blue 19 (Remazol Brilliant Blue R) -  
[2580-78-1]**

**Batch No**

**5041002**

**Analysis Date**

17-Dec-2022

**Date of Manufacture**

December 2022

**Expiry Date/Re-Test Date**

December 2027

**Molecular Formula**

C<sub>22</sub>H<sub>16</sub>N<sub>2</sub>Na<sub>2</sub>O<sub>11</sub>S<sub>3</sub>

**Molecular Weight**

626.54

Test Parameters	Standards	Actual Results
Appearance (Colour)	Dark blue to black	Dark blue
Appearance (Form)	Powder	Powder
Absorbance (A) of 1% aq. solution in a 1cm cell v/s H <sub>2</sub> O		
@575nm	min. 80	151

FRM/82/11/4/36474 Rev No. 2 Date 27/07/2020

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company