



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	53388 - Sodium Peroxide ACS, 93% - [1313-60-6]
Batch No	5049546
Analysis Date	07-Oct-2023
Date of Manufacture	October 2023
Expiry Date/Re-Test Date	October 2028
Molecular Formula	Na ₂ O ₂
Molecular Weight	77.98

Test Parameters	Standards	Actual Results
Appearance (Colour)	Colourless to faint yellow	Faint yellow
Appearance (Form)	Granules / Beads	Granules
Assay (Redox Titration)	min. 93%	93.3%
Chloride (Cl)	max. 0.002%	Passes
Sulphate (SO ₄)	max.0.001%	Passes
Iron (Fe)	max. 0.005%	Passes
Heavy Metals (Pb)	max. 0.002%	Passes
Phosphate (PO ₄)	max. 0.0005%	Passes

FRM/82/11/4/53388 Rev No. 1 Date 05/10/2023

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.