



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>47748 - Hydroxylamine 50% Soln. in Water - [7803-49-8]</b>
<b>Batch No</b>	<b>5104699</b>
<b>Analysis Date</b>	20-Dec-2023
<b>Date of Manufacture</b>	December 2023
<b>Expiry Date/Re-Test Date</b>	December 2028
<b>Molecular Formula</b>	NH <sub>2</sub> OH
<b>Molecular Weight</b>	33.03

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (T)	48-52% w/v	51.68%
Density (g/ml) @ 20°C	1.077-1.079	1.077
Refractive Index (20°C)	1.393-1.394	1.393

FRM/82/11/2/47748 Rev No. 1 Date 05/09/2021

Prepared by **DRathod**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.