



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	62020 - 6-Chloropurine extrapure, 99% - [87-42-3]
Batch No	5121459
Analysis Date	19-Jan-2019
Date of Manufacture	January 2019
Expiry Date/Re-Test Date	January 2024
Molecular Formula	C ₅ H ₃ CIN ₄
Molecular Weight	154.56

Test Parameters	Standards	Actual Results
Appearance (Colour)	Pale yellow	Pale yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 1% soln in 5N HCl	Clear	Clear
Assay	min. 99%	99.2%

FRM/82/11/4/62020 Rev No. 2 Date 24/06/2017

Prepared by **Ajit**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.