



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	51369 - N-Methyl-2-Pyrrolidone (NMP) extrapure, 99.5% - [872-50-4]
Batch No	5136055
Analysis Date	03-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	C5H9NO
Molecular Weight	99.13

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99.5%	99.95%
Density (g/ml) @ 20°C	1.029-1.033	1.029
Refractive Index (20°C)	1.470-1.472	1.470
Boiling Range	202-204°C	Passes
Water (KF)	max. 0.1%	0.05%

FRM/82/11/2/51369 Rev No. 2 Date 20/01/2019

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.