



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	31445 - Trichloroacetic Acid 10% solution - [76-03-9]
Batch No	5286134
Analysis Date	09-Oct-2022
Date of Manufacture	October 2022
Expiry Date/Re-Test Date	October 2025
Molecular Formula	C ₂ H ₂ O ₂ Cl ₃
Molecular Weight	163.39

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Suitability as Reagent for Protein precipitation	Passes test	Passes

FRM/82/11/4/31445 Rev No. 1 Date 01/11/2015

Prepared by **Mayur**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.