



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>96540 - EDTA Disodium Salt 0.1M Solution - [6381-92-6]</b>
<b>Batch No</b>	<b>5339069</b>
<b>Analysis Date</b>	11-Apr-2024
<b>Date of Manufacture</b>	April 2024
<b>Expiry Date/Re-Test Date</b>	April 2026
<b>Molecular Formula</b>	C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O <sub>8</sub> Na <sub>2</sub> ·2H <sub>2</sub> O
<b>Molecular Weight</b>	372.24

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Molarity (M)	0.1000 ± 0.0050	0.1025 M

FRM/82/11/4/96540 Rev No. 3 Date 21/05/2023

Prepared by Vivek

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.