



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>95956 - Naringenin pure, 95% - [67604-48-2]</b>
<b>Batch No</b>	<b>5435317</b>
<b>Analysis Date</b>	02-Aug-2023
<b>Date of Manufacture</b>	August 2023
<b>Expiry Date/Re-Test Date</b>	August 2028
<b>Molecular Formula</b>	C <sub>15</sub> H <sub>12</sub> O <sub>5</sub>
<b>Molecular Weight</b>	272.26

Test Parameters	Standards	Actual Results
Appearance (Colour)	White to pale yellow	White
Appearance (Form)	Powder	Powder
Assay (HPLC)	min.95%	97.3%
Melting Point	250 - 255°C	254.4°C

FRM/82/11/4/95956 Rev No. 2 Date 14/10/2019

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.