



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	34890 - 1,3-Dibromopropane pure, 99% - [109-64-8]
Batch No	5502542
Analysis Date	28-Jul-2022
Date of Manufacture	July 2022
Expiry Date/Re-Test Date	July 2027
Molecular Formula	C3H6Br2
Molecular Weight	201.90

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.30%
Density (g/ml) @ 20°C	1.976-1.978	1.976
Refractive Index (20°C)	1.521-1.523	1.521
Boiling Range	166-167°C	166-167°C

FRM/82/11/2/34890 Rev No. 1 Date 01/11/2015

Prepared by Nilam Halgekar

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.